Integer Linear Programming Application in Production Results Optimization Using Cutting Plane Method

by Fery Firmansyah

Submission date: 08-Feb-2021 01:53PM (UTC+0700) Submission ID: 1504318757 File name: 7._Fery_Firmansyah_57-66.pdf (459.94K) Word count: 3670 Character count: 14344



Desimal: Jurnal Matematika Vol 4 No 1 (2021) 57-66

Contents lists available at DJM DESIMAL: JURNAL MATEMATIKA p-ISSN: 2613-9073 (print), e-ISSN: 2613-9081 (online), DOI 10.24042/djm http://ejournal.radenintan.ac.id/index.php/desimal/index



Integer Linear Programming Application in Production Results Optimization Using Cutting Plane Method

Fery Firmansah*, Fitriana Wulandari

Universitas Widya Dharma Klaten, Indonesia

ARTICLE INFO

Article History

Received : 12-09-2020 Revised : 17-12-2020 Accepted : 18-01-2021 Published : 28-01-2021

Keywords:

Production Results; Integer Linear Programming; Cutting Plane Method; Optimization.

*Correspondence: E-mail: feryfirmansah@unwidha.ac.id

<mark>3</mark>bi: 10.24042/djm.v4i1.7975

ABSTRACT

Integer Linear Programming is a special form of linear programming which the decision variables are in integer form. Berkah Rasa is a home industry business in the form of Jenang Ayu and Jenang Krasikan process 4 food. The daily production that carried out by Berkah Rasa is based on the availability of raw materials and the number of requests. So far, Berkah Rasa has not had the right strategy in producing Jenang to get maximum profit. The purpose of this research is to apply integer linear programming to the optim 4 ation of Jenang Ayu and Jenang Krasikan production. The method used to solve this problem is the cutting plane method. The results of the research obtained is the optimal solution for Berkah Rasa, that is by producing 25 kg of Jenang Ayu and 22 kg of Jenang Krasikan every day. So that the benefits obtained by Berkah Rasa every day are IDR 727,000.00.

http://ejournal.radenintan.ac.id/index.php/desimal/index

INTRODUCTION

Linear program is a mathematical model to get the best alternative use of available resources (Aminudin, 2005). Linear program is often used in solving resource allocation problems. In some cases, the decision variables must be integers (Sitorus, 1997). Integer Linear Programming is linear programs in which some or all of the decision variables are an integer value. One of the methods use 4 to solve integer programs is by using the cutting plane method. The cutting plane method is a method used to solve integer linear programming problems, both pure and mixed integers by adding a number of new constraints (Siang, 2011).

The cutting plane method was developed to find the optimum solution for integer program. This method is carried out by adding a constraint called the Gomory constraint. The addition of the Gomory constraints is done in the optimal table so that it can shorten the calculation (Siagian, 2006). The completion of the integer program using the cutting plane method must be done using the simplex

Desimal, **4** (1), **2021 - 58** Fery Firmansah, Fitriana Wulandari

method because the iteration requires new constraints formed from the fractional component of the slack variable (Siang, 2011).

The cutting plane method algorithm is as follows: The first step is solving a mathematical model using the simplex method. The second step is if you get an integer solution, then the process is complete. However, if the solution obtained is a fraction. Then choose any simplex optimal row which in the right side of the column contains a fraction. The equation formed in that line is

$$\sum_{j} a_{ij} x_j = b_i$$

The third step adds a new constraint with

$$\sum_j f_{ij} x_j \ge f_i$$

to the initial problem with

 f_{ij} = fractional part in a_{ij}

 f_i = fractional part in b_i

The fourth step is returns to the first step.

Research on integer programs has been discussed previously, among others. Nico et al. (2014) used the cutting plane method in optimizing the annual production amount at PT YXZ. Basriati (2018) used integer linear programming with the cutting plane method approach and the branch and bound method for optimization of tofu production. Alfian (2019) has used a linear integer programming model to optimize the production planning at UKM. Other relevant research is provided in Basriati et al. (2018), Dey & Richard (2009), and Pätzold & Schöbel (2020).

In line with the relevant research, the author has succeeded in developing an integer linear programming application to optimize the production of Berkah Rasa using the cutting plane method. The results of this research are proven to be able to get the application of mathematics closer to everyday life, especially in the home industry business.

METHOD

This research is an applied research which aims to provide practically solutions to certain problems in everyday life. The data in this study is primary data which are collected by the researcher directly from the place of research object and the source of the data is obtained from the research location, that is Berkah Rasa in Pendem Hamlet, Wonosari Village, Trucuk District, Klaten Regency. Where each production result is influenced by the availability of raw materials, the amount of demand, and profit.

The following data is obtained from Berkah Rasa. Data of raw materials per day for every 1 kg of product, data of the number of requests per day, and data of profit per 1 kg of product. The raw materials used per day are 21 kg of glutinous rice, 22 kg of palm sugar, and 25.7 liters of coconut milk. Every 1 kg of Jenang Ayu requires 400 grams of glutinous rice, 500 grams of palm sugar, and 500 ml of coconut milk with a profit of IDR 15,000 / kg. Meanwhile, every 1 kg of Jenang Krasikan requires 500 grams of glutinous rice, 400 grams of palm sugar, and 600 ml of coconut milk with a profit of IDR 16,000 / kg. The minimum number of requests per day for Jenang Ayu is 20 kg and Jenang Krasikan is 15 kg.

The data analysis steps used in this research are modeling the optimization problem of the production of Jenang Ayu and Jenang Krasikan at Berkah Rasa into a linear programming model, then solve the linear programming model using the cutting plane method. The decision variables obtained are integers. So, the optimal amount of the production and the amount of profit obtained can be found.

Desimal, 4 (1), 2021 - 59

Fery Firmansah, Fitriana Wulandari

RESULTS AND DISCUSSION

Modeling the optimization problem of the production of Jenang Ayu and Jenang Krasikan into a linear program.

The Decision Variables

The products to be optimized are Jenang Ayu and Jenang Krasikan at Berkah Rasa, so that the following decision variables can be formed.

 x_1 = the number of Jenang Ayu produced / day (kg)

 x_2 = the number of Jenang Krasikan produced / day (kg)

The Objective Function

The objective function in this research is maximize the profit from each production of Jenang Ayu and Jenang Krasikan.

Table 1. The Profit of Berkah Rasa	
Production	

The type of Jenang	Profits (IDR)
Jenang Ayu	15000
Jenang Krasikan	16000

The profit from each product shows the coefficient of each decision variable. The objective function for the production of Jenang at Berkah Rasa is

Maximize $z = 15000x_1 + 16000x_2$ or Maximize $z = 15x_1 + 16x_2$ (Thousands)

The Constraint Function

The constraint function is a set of constraints that must be considered in determining the decision variables. In a production, these constraints are usually referred to as obstacles or limitations. In this research, Berkah Rasa has limitations in the availability of materials and the number of requests.

Table 2. Raw	Materials and	l Availability
--------------	---------------	----------------

	als
	Coconut Milk
0	(ml)
) 500	500
0 400	600
22000	25700
	e Sugar m) (gram) D 500

From Table 2, the constraint function can be formulated as follows. Glutinous rice: $400x_1 + 500x_2 \le 21000$ $\Leftrightarrow 4x_1 + 5x_2 \le 210$ Palm Sugar $: 500x_1 + 400x_2 \le 22000$ $\Leftrightarrow 5x_1 + 4x_2 \le 220$ Coconut Milk $: 500x_1 + 600x_2 \le 25700$ $\Leftrightarrow 5x_1 + 6x_2 \le 257$

Table 3. The Amount of Requests

The type of Jenang	Requests
Jenang Ayu	20
Jenang Krasikan	15

From Table 3, the constraint function can be formulated as follows.

$$\begin{array}{l} x_1 \ge 20 \\ x_2 \ge 15 \end{array}$$

Linear Programming Modal

The general form of a linear programming on the optimization problem of the production of Jenang at Berkah Rasa is as follows. Maximize :

 $z = 15x_1 + 16x_2 \text{ (Thousands)}$ Constraints : $4x_1 + 5x_2 \le 210$ $5x_1 + 4x_2 \le 220$ $5x_1 + 6x_2 \le 257$ $x_1 \ge 20$ $x_2 \ge 15$ $x_1, x_2 \ge 0$

Desimal, 4 (1), 2021 - 60 Fery Firmansah, Fitriana Wulandari

Completing the linear programming model that has been obtained using the cutting plane method.

The first step is solving the mathematical model using the simplex method. Converting the mathematical model into a standard simplex form. The standard form of simplex on the optimization problem of the production of Jenang at Berkah Rasa is as follows.

Program-1

Maximize :

 $z = 15x_1 + 16x_2 + 0x_3 + 0x_4 + 0x_5 + 0x_6 + 0x_7 - Mx_8 - Mx_9$ (Thousands) Constraints :

 $\begin{array}{l} 4x_1 + 5x_2 + x_3 = 210 \\ 5x_1 + 4x_2 + x_4 = 220 \\ 5x_1 + 6x_2 + x_5 = 257 \end{array}$

 $x_1 - x_6 + x_8 = 20$ $x_2 - x_7 + x_9 = 15$ $x_1, \dots, x_9 \ge 0$

From the calculations in Table 4 using the simplex method, the solution for $x_1 = \frac{146}{5} = 29,2$ and $x_2 = \frac{37}{2} = 18,5$ is obtained with the value of z = 734(Thousands). Since the result is not an integer yet, then choose any optimal simplex row in the column on the right side that containing the fraction. Then add the constraint $\frac{3}{5}x_4 + \frac{3}{5}x_5 \ge \frac{1}{5}$ into the next program. If it is interpreted geometrically using substitution and elimination, the constraint $\frac{3}{5}x_4 + \frac{3}{5}x_5 \ge \frac{1}{5}$ will equal to $3x_1 + 3x_2 \le 143$.

Desimal, 4 (1), 2021 - 61

Fery Firmansah, Fitriana Wulandari

	c_j	15	16	0	0	0	0	0	-M	-M		
(an)i	$(x_B)_i$	<i>x</i> ₁	16 5 <i>x</i> ₂	x_3	x_4	x_5	<i>x</i> ₆	<i>x</i> ₇	x_8	x 9	\boldsymbol{b}_i	θ
0	$\frac{x_3}{x_4}$	4	5	1	0	0	0	0	0	0	210	42
0 0 0		5	4	0	1	0	0	0	0	0	220	42 55 257 6
	<i>x</i> 5	5	6	0	0	1	0	0	0	0	257	6
-M -M	$\frac{x_8}{x_9}$	1	0	0	0	0	-1 0	0 -1	1	0	20 15	- 15
14	z_j	-M	-M	0	0	0	M	M	-M	-M		15
	$c_j - z_j$	M+15	M+16	0	0	0	-M	-M	0	0	-35M	
1 0	<i>x</i> ₃	4	0	1	0	0	0	5	0	-5	135	$\frac{135}{4} \\ \frac{32}{\frac{167}{5}} \\ 20$
0 0	x_4	5	0	0	1	0	0	4	0	-4	160	32
0	x_5	5	0	0	0	1	0	6	0	-6	167	167
-M	x 8	1	0	0	0	0	-1	0	1	0	20	20
16	\overline{x}_2	0	1	0	0	0	0	-1	0	1	15	-
1	$c_j - z_j$	-M M+15	16 0	0 0	0 0	0 0	М —М	-16 16	-M 0	16 - <i>M</i> -16	- 20M + 240	
0	$c_j - z_j$	M+15	0	1	0	0	-M 4	5	-4	- <i>M</i> -16 -5	55	11
0 0	$\frac{x_3}{x_4}$	0	0	0	1	0	5	4	-5	-4	60	15
0	x_5	0	0	0	0	1	5	6	-5	-6	67	15 67 6
15	x1	1	0	0	0	0	-1	0	1	0	20	-
16	x_2	0	1	0	0	0	0	-1	0	1	15	-
	\mathbf{z}_{j}	1	16	0	0	0	-15	-16	15	16	= 10	
	$c_j - z_j$	0	0	0	0	0	15	16	- <i>M</i> - 15	- <i>M</i> -16	540	
0	x_7	0	0	1 5	0	0	4 5 9 5 1	1	- + 5	-1	11	55 4 9 5
0	x_4	0	0	$-\frac{4}{5}$	1	0	9	0	- 9	0	16	80
0	x_5	0	0	$\frac{1}{5}$ - $\frac{4}{5}$ - $\frac{6}{5}$	0	1	1 5	0	$15 - \frac{4}{5} - \frac{7}{5} - \frac{1}{5}$	0	1	5
15	x_1	1	0	0	0	0	-1	0	1	0	20	-
16	x_2	0	1	1	0	0	4 -	0	- 4	0	26	65 2
	\mathbf{z}_{j}	15	16	1 5 16 5	0	0	$-\frac{\frac{4}{5}}{\frac{11}{5}}$	0	$-\frac{4}{5}$ $\frac{11}{5}$ -M+	0		2
	$c_j - z_j$	0	0	$-\frac{16}{5}$	0	0	$\frac{11}{5}$	0	$-M + \frac{11}{5}$	- M	716	
0	x7	0	0	5	0	-4	0	1	0	-1	7	7 5 7 10 - 22 5
0	x_4	0	0	10	1	-9	0	0	0	0	7	$\frac{7}{10}$
0	x_6	0	0	-6	0	5	1	0	-1	0	5	-
15	x_1	1	0	-6	0	5	0	0	0	0	25	- 22
16	\overline{x}_2	0	1	5	0	-4	0	0	0	0	22	5
	$c_j - z_j$	1	16 0	-10 10	0 0	11 -11	0 0	0 0	0 - M	0 - M	727	
0	x_7	0	0	0			0	1	0	-14	7	
0					2	29					27	
	x ₃	0	0	1	10	- 10 2	0	0	0	0	10 46	
0	x_6	0	0	0		$\frac{\frac{1}{2}}{\frac{9}{10}}$	1	0	-1	0	7 27 10 46 5 146 5 146 5 37 2	
15	x ₁	1	0	0	5	- 4/5	0	0	0	0	5	
16	x_2	0	1	0	$-\frac{1}{2}$	1/2	0	0	0	0	37	
	z_j	15	16	0	1		0	0	0	0	734	
	$c_j - z_j$	0	0	0	-1	-2	0	0	- M	- M	/34	

Table 4. Simplex Solution for Program-1

Program-2

The equation is in accordance with Table 4 by ignoring the pseudo variables and adding the additional constraints, then the standard simplex form is obtained as follows. Maximize : $z = 15x_1 + 16x_2 + 0x_3 + 0x_4 + 0x_5 + 0x_6 + 0x_7 + 0x_8 - Mx_9$ (Thousands) Constraints :

$$-\frac{1}{2}x_4 + \frac{1}{2}x_5 + x_7 = \frac{7}{2}$$
$$x_3 + \frac{1}{10}x_4 - \frac{9}{10}x_5 = \frac{7}{10}$$
$$\frac{3}{5}x_4 - \frac{2}{5}x_5 + x_6 = \frac{46}{5}$$
$$x_1 + \frac{3}{5}x_4 - \frac{2}{5}x_5 = \frac{146}{5}$$

Desimal, **4** (1), **2021 - 62** Fery Firmansah, Fitriana Wulandari

$$x_2 - \frac{1}{2}x_4 + \frac{1}{2}x_5 = \frac{37}{2} \qquad \qquad \frac{3}{5}x_4 + \frac{3}{5}x_5 - x_8 + x_9 = \frac{1}{5}$$

	c _j	15	16	0	0	0	0	0	0	-M		
$(c_p)_i$	$(x_B)_i$	15 5 <i>x</i> ₁	x_2	x_3	x_4	x_5	x_6	<i>x</i> ₇	x_8	x_9	\boldsymbol{b}_i	θ
0	<i>x</i> ₇	0	0	0	- 1/2	1 2	0	1	0	0	7/2	-
0	x_3	0	0	1	$\frac{1}{10}$	$-\frac{9}{10}$	0	0	0	0	7 10	7
0	x ₆	0	0	0	3	$-\frac{2}{5}$	1	0	0	0	46	46 3
15	<i>x</i> ₁	1	0	0	1 2 10 3 5 3 5	$\frac{1}{2}$ - $\frac{9}{10}$ - $\frac{2}{5}$ - $\frac{2}{5}$	0	0	0	0	7 27 10 46 5 146 5 37	146 3
16	x 2	0	1	0	- 1/2	1/2	0	0	0	0	37	-
- M	x 9	0	0	0	3 5	3	0	0	-1	1	<u>1</u> 5	1 3
	z_j	15	16	0	$\frac{3}{5}M+1$	$\frac{3}{5}M+2$	0	0	0	0	$\frac{1}{5}M+734$	
1	$c_j - z_j$	0	0	0	$\frac{3}{5}M-1$	$\frac{3}{5}M-2$	0	0	- M	0		
0	<i>x</i> ₇	0	0	0	0	1	0	1	- 5 6 1	5	11 3 2	
0 0 15	x_3	0	0	1	0	-1	0	0	1 6	$-\frac{6}{6}$	2 3	
0	$\frac{x_3}{x_6}$	0	0	0	0	-1	1	0	1	-1	9	
		1	0	0	0	-1	0	0	1 5	-1 5	29 56	
16	x_2	0	1	0	0	1	0	0	- 6	6	56 3 1	
0	x_4	0	0	0	1	1	0	0	5 65 3 5 3 5	5 6 5 3 5	3	
	z_j	15	16	0	0	1	0	0	5	- 3	2201	
	$c_j - z_j$	0	0	0	0	-1	0	0	- 5/3	$-M-\frac{5}{3}$	3	

Table 5. Simplex Solution for Program-2

By calculating the simplex method in Table 5, it is obtained the solution of $x_1 = 29$ and $x_2 = \frac{56}{3} = 18,67$ with a value of $z = \frac{2201}{3} = 733,67$ (Thousands). Since the result is not an integer yet, then choose any optimal simplex row in the column on the right side that containing the fraction. Then add the constraint $\frac{1}{6}x_8 \ge \frac{2}{3}$ into the next program. If it is interpreted geometrically using substitution and elimination, the constraint $\frac{1}{6}x_8 \ge \frac{2}{3}$ will be equal to $x_1 + x_2 \le 47$.

Program-3

The equation is in accordance with Table 5 by ignoring the pseudo variables and adding the additional constraints, then the standard simplex form is obtained as follows.

Maximize : $z = 15x_1 + 16x_2 + 0x_3 + 0x_4 + 0x_5 + 0x_6 + 0x_7 + 0x_8 + 0x_9 - Mx_{10}$ (Thousands) Constraints :

$$x_{5} + x_{7} - \frac{5}{6}x_{8} = \frac{11}{3}$$

$$x_{3} - x_{5} + \frac{1}{6}x_{8} = \frac{2}{3}$$

$$-x_{5} + x_{6} + x_{7} = 9$$

$$x_{1} - x_{5} + x_{8} = 29$$

$$x_{2} + x_{5} - \frac{5}{6}x_{8} = \frac{56}{3}$$

$$x_{4} + x_{5} - \frac{5}{3}x_{8} = \frac{1}{3}$$

$$\frac{1}{6}x_{8} - x_{9} + x_{10} = \frac{2}{3}$$

Desimal, **4** (1), **2021 - 63** Fery Firmansah, Fitriana Wulandari

									0				
	c _j	15	16	0	0	0	5	0	0	0	-M		
(cn)i	$(x_B)_i$	<i>x</i> ₁	x_2	<i>x</i> ₃	x_4	<i>x</i> ₅	x_6	<i>x</i> ₇	x 8	x_9	<i>x</i> ₁₀	\boldsymbol{b}_i	θ
0	x7	0	0	0	0	1	0	1	- <u>5</u> 6	0	0	11 3 2	-
0 0 15	x_3	0	0	1	0	-1	0	0	$\frac{1}{6}$	0	0	2 3	4
0	x ₆	0	0	0	0	-1	1	0	ů	0	0	9	9
15	x_1	1	0	0	0	-1	0	0	1	0	0	29	29
16	x_2	0	1	0	0	1	0	0	- 5/6	0	0	56 3 1	-
0	x_4	0	0	0	1	1	0	0	$-\frac{6}{5}$	0	0	1 3 2	-
- M	x_9	0	0	0	0	0	0	0	1 6	-1	1	3	4
	z_j	15	16	0	0	1	0	0	$-\frac{1}{6}M+\frac{5}{3}$	М	-M	$-\frac{2}{3}M+\frac{3}{2201}$	
1	$c_j - z_j$	0	0	0	0	-1	0	0	$\frac{1}{6}M - \frac{5}{3}$	-M	0	2201	
0	x_7	0	0	0	0	1	0	1	0	-5	5	3 7	
0	$\frac{x_7}{x_3}$ $\frac{x_6}{x_1}$	0	0	1	0	-1	0	0	0	1	-1	0	
0	x_6	0	0	0	0	-1	1	0	0	6	-6	5	
15	x_1	1	0	0	0	-1	0	0	0	6	-6	25	
16	x_2	0	1	0	0	1	0	0	0	-5	5	22	
0	\overline{x}_4	0	0	0	1	1	0	0	0	-10	10	7	
0	x_8	0	0	0	0	0	0	0	1	-6	6	4	
	z_j	15	16	0	0	1	0	0	0	10	-10	727	
	$c_j - z_j$	0	0	0	0	-1	0	0	0	-10	- M+10	, 27	

Table 6. Simplex Solution for Program-3

By calculating the simplex method in Table 6, it is obtained the solution of $x_1 = 25$ and $x_2 = 22$ with a value of z = 727 (Thousands). Because the solution has been obtained in the form of an integer, the process is complete.




Figure 1. The Solution of The Optimization of Jenang Production

Desimal, **4** (1), **2021 - 64** Fery Firmansah, Fitriana Wulandari

Remarks:

Figure 1 shows that the initial optimal point is (29,2; 18,5) with a value of z = 734. Then with the addition of the constraints $3x_1 + 3x_2 \le 143$, the optimal point obtained is (29; 18,67) with a value of z = 733,67. And with the addition of the constraints $x_1 + x_2 \le 47$ the optimal point obtained is (25,22) with a value of z = 727.

The decision variables obtained are integers. So, the optimal amount of the production and the amount of profit obtained can be found. The decision variables obtained from calculations using the cutting plane method are $x_1 = 25$ and $x_2 = 22$ with a value of z = 727(Thousands). Thus, the optimal amount of production per day for Berkah Rasa is 25 kg of Jenang Ayu and 22 kg of Jenang Krasikan with a maximum profit of IDR 727,000 per day.

The results of this research are in line with the wishes of Berkah Rasa home industry, that is to get the right strategy in producing Jenang every day with the goal of obtaining maximum profit.

CONCLUSIONS AND SUGGESTIONS

The application of the cutting plane method in completing the optimization of production planning at Berkah Rasa is carried out by modeling the objective functions and constraints obtained from the raw material data and the number of requests. Based on the calculation using the cutting plane method, the optimal solution for Berkah Rasa is by producing 25 kg of Jenang Ayu and 22 kg of Jenang Krasikan every day. So that the benefits obtained by Berkah Rasa are IDR 727,030.00 per day.

Based on the results of this research, the application of industrial sector in the form of food processing is obtained. Then this research can be developed on the other sector of application besides the home industry sector.

REFERENCES

- Alfian, A. (2019). Model integer programming untuk mengoptimalkan perencanaan produksi di UKM "X." Jurnal Ilmiah Teknik Industri, 7(2). https://doi.org/10.24912/jitiuntar.v 7i2.5933
- Aminudin. (2005). Prinsip-prinsip riset operasi. Erlangga.
- Basriati, S. (2018). Integer linear programming pengan pendekatan metode cutting plane dan branch and bound untuk optimasi produksi tahu. *Jurnal Sains Matematika Dan Statistika*, 4(2).
- Basriati, S., Andiraja, N., & Rahma, A. N. (2018). Penggunaan metode cutting plane dalam menentukan solusi integer linear programming (studi kasus : Dinas perikanan pemerintah kabupaten kampar). *Sntiki -10, November*, 741–747.
- Dey, S. S., & Richard, J. P. (2009). Linearprogramming-based lifting and its application to primal cutting-plane algorithms. *INFORMS Journal on Computing*, 21(1). https://doi.org/10.1287/ijoc.1080.0 284
- Nico, Iryanto, & Tarigan, G. (2014). Aplikasi metode cutting plane dalam optimasi jumlah produksi tahunan pada PT. XYZ. Saintia Matematika, 2(2).
- Pätzold, J., & Schöbel, A. (2020). Approximate cutting plane approaches for exact solutions to robust optimization problems. *European Journal of Operational Research*, 284(1). https://doi.org/10.1016/j.ejor.2019. 11.059

Desimal, 4 (1), 2021 - 65 Fery Firmansah, Fitriana Wulandari

Siagian, P. (2006). *Penelitian operasional*. Universitas Indonesia Press.

Siang, J. J. (2011). *Riset operasi dalam pendekatan algoritmis*. Andi Publisher.

Sitorus, P. (1997). *Program linier*. Universitas Trisakti.

Desimal, 4 (1), **2021 - 66** Fery Firmansah, Fitriana Wulandari

Integer Linear Programming Application in Production Results Optimization Using Cutting Plane Method

0	IALITY REPORT	7	0	0
8	%	7%	3%	3%
SIMIL	ARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS
PRIMAF	RY SOURCES			
1	hdl.hand			3
2	Submitte Student Paper	ed to Academic L	ibrary Consort	ium 2
3	ejournal. Internet Sourc	radenintan.ac.id		2
4	123dok.c			1
5	Flow Net	ni , Omar Mutab. کات التدفق = tworks z University : Sci 2020	,"تحليل المعولية لشب	King

Exclude	quotes
---------	--------

On

Exclude bibliography On