Odd harmonic labeling on a generalized double quadrilateral windmill graph amalgamation

by Fery Firmansyah

Submission date: 31-Dec-2021 08:58PM (UTC+0700)

Submission ID: 1736651547

File name: 13._Fery_Firmansyah_373-378.pdf (337.62K)

Word count: 2221

Character count: 10317



Contents lists available at DJM

DESIMAL: JURNAL MATEMATIKA





Odd harmonic labeling on a generalized double quadrilateral windmill graph amalgamation

Fery Firmansah^{1,*}, Wed Giyarti²

- ¹ Universitas Widya Dharma Klaten, Indonesia
- ² UIN Sunan Kalijaga Yogyakarta, Indonesia

ARTICLE INFO

Article History

Received : 05-10-2021 Revised : 03-11-2021 Accepted : 28-11-2021 Published : 30-11-2021

Keywords:

Double Quadrilateral Graph; Odd Harmonic Graph; Windmill Graph; Odd Harmonic Labeling.

*Correspondence: E-mail: feryfirmansah@unwidha.ac.id

Doi:

10.24042/djm.v4i3.10823

ABSTRACT

Graph labeling is one of the topics of graph theory that is growing very rapidly both in terms of theory and application. A graph that satisfies the labeling property of odd harmonics is called an odd harmonic graph. The method used in this research is qualitative research by developing a theory and a new class of graphs from odd harmonic graphs. In this research, a new graph class construction will be given in the form of an amalgamation of the generalized double quadrilateral windmill graph. Furthermore, it will be proved that the amalgamation of the generalized double quadrilateral windmill graph is an odd harmonic graph. So that the results of the research show that the amalgamation of the generalized double quadrilateral windmill graph is a new graph class of odd harmonic graphs.

http://ejournal.radenintan.ac.id/index.php/desimal/index

INTRODUCTION

One of the research topics on graphs that is developing very rapidly both in terms of theory and application is graph labeling. Graph labeling is basically labeling vertices, arcs, or a combination of both 11th certain properties.

One of the graph labeling types is odd harmonic graph labeling which was discovered by Liang & Bai (2009). A graph that satisfies the odd harmonic labeling properties is called an odd harmonic graph. Suppose graph G(V, E) with p = |V(G)| and q = |E(G)| is called an odd

harmonic graph if it satisfies the labeling function of the injective vertex $f:V(G) \rightarrow \{0,1,2,...,2q-1\}$ so as to induce a bijective arc labeling function of arc $f^*: E(G) \rightarrow \{1,3,5,...,2q-1\}$ with the definition of $f^*(ab) = f(a) + f(b)$ (Liang & Bai, 2009).

The following are some classes of graphs that have been found to be a family of odd harmonic graphs that are relevant to this research. The new graph class from the Cartesian product operation is an odd harmonic graph (Firmansah & Yuwono, 2017a), In a dimerent paper, we obtained odd harmonic labeling on the pleated of

Fery Firmansah, Wed Giyarti

the Dutch windmill raphs (Firmansah & Yuwono, 2017b), the odd harmonious labeling on variation of the double quadrilateral windmill graphs (Firmansah, 2017), odd harmonious labeling of grid gaphs (Jeyanthi, Philo, & Youssef, 2019), odd harmonious labeling of some classes of cycle related graphs (Renuka & Balaganesan, 2018), odd harmonious labeling of super subdivision graphs (Jeyanthi, Philo, & Siddiqui, 2019).

Firmansah & Syaifuddin (2018a) have proven that the amalgamation of the Dutch windmill graph $C_4^r * P_2 * C_4^r$ is an odd harmonic graph, furthermore, in the same paper they have also proven that the k amalgamation of the Dutch windmill graph $C_4^r * P_2 * ... * C_4^r$ is an odd harmonic graph.

Firmansah & Syaifuddin (2018b) have constructed a double quadrilateral windmill graph amalgamation $DQ^r * P_2 * DQ^r$ obtained from the amalgamation operation of two double quadrilateral windmill graphs DQ^r with a P_2 path graph. In the same paper, they also prove that the amalgamation of a double quadrilateral windmill graph $DQ^n * P_2 * DQ^n$ is an odd harmonic graph.

The results of this research become the basis for the authors to develop a new graph class construction, namely the amalgamation of the generalized double quadrilateral windmill graph $DQ^n * P_2 * \dots * P_2 * DQ^n$ obtained from the amalgamation operation of m graphs of double quadrilateral graphs DQ^n and the m-1 of the P_2 path graph. To make it easier to write an amalgamation of the generalized double quadrilateral windmill graph, it is denoted as $mDQ^n * (m-1)P_2$ with $m \geq 1, n \geq 1$.

Furthermore, the authors also proved that the amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ satisfies the odd harmonic labeling properties so that the amalgamation of the generalized double quadrilateral windmill graph mDQ^n*

 $(m-1)P_2$ is an odd harmonic graph. In such a way, it is obtained that the amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ is a new graph class of odd harmonic graphs.

METHOD

This research is qualitative research that aims to obtain new theories and properties of odd harmonic graphs. The stages of the research are:

- Construction of a new graph class definition along with its order and size
- Node labeling construction which is injective and fulfills odd harmonic labeling properties
- The arc labeling construction which is bijective and fulfills the odd harmonic labeling properties
- 4) Theorem construction is accompanied by mathematical proof.




Figure 1. Research Method Flowchart

RESULTS AND DISCUSSION

Following are the results of the research in the form of the construction of an amalgamation definition of a double quadrilateral windmill graph which is generalized to Definition 1.

Definition 1. The generalized double quadrilateral windmill graph amalgamation $mDQ^n*(m-1)P_2$ with $m \ge 1, n \ge 1$ is the graph obtained by amalgamating m graphs of double quadrilateral graphs DQ^n and the m-1 of the P_2 path graph with the vertices set

$$V(mDQ^{n}*(m-1)P_{2}) = \{5 \mid 1 \leq i \leq m\} \cup \{5^{j} \mid 1 \leq i \leq m, 1 \leq j \leq 3n\} \cup \{w_{i}^{j} \mid 1 \leq i \leq m, 1 \leq j \leq 2n\} \text{ and set of arcs}$$

$$E(mDQ^{n}*(m-1)P_{2}) = \{u_{i}v_{i}^{j} \mid 1 \leq i \leq m, 1 \leq j \leq 3n\} \cup \{v_{i}^{3j-2}w_{i}^{2j-1} \mid 1 \leq i \leq m, 1 \leq j \leq n\} \cup \{v_{i}^{3j-2}w_{i}^{2j-1} \mid 1 \leq i \leq m, 1 \leq j \leq n\} \cup \{w_{i}^{2j-1}v_{i}^{3j-1} \mid 1 \leq i \leq m, 1 \leq j \leq n\} \cup \{w_{i}^{2j}v_{i}^{3j-1} \mid 1 \leq i \leq m, 1 \leq j \leq n\} \cup \{w_{i}^{2j}v_{i}^{3j-1} \mid 1 \leq i \leq m, 1 \leq j \leq n\} \cup \{u_{i}u_{i+1} \mid 1 \leq i \leq m-1\}.$$




Figure 2. Graph $mDQ^n * (m-1)P_2$

Furthermore, the amalgamation of the generalized double quadrilateral windmill graph is an odd harmonic graph as proven in Theorem 2.

Theorem 2. The amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ with $m \ge 1, n \ge 1$ is an odd harmost graph.

Prove.

Based on Definition 1 it is obtained that $p = |V(mDQ^n * (m-1)P_2)| = 5rk + k$ and $q = |E(mDQ^n * (m-1)P_2)| = 7rk + k - 1$.

Defined the labeling function of vertex $f: V(mDQ^n*(m-1)P_2) \rightarrow \{0,1,2,3...,14mn+2n-3\}$

$$f(u_{i}) = \begin{cases} (3n+1)i - (3n+1), & 1 \le i \le m, i = \text{odd} \\ (3n+1)i - 1, & 1 \le i \le m, i = \text{odd}, 1 \le j \le 3n \end{cases}$$

$$f(v_{i}^{j}) = \begin{cases} (3n+1)i + 2j - (3n+2), & 1 \le i \le m, i = \text{odd}, 1 \le j \le 3n \\ (3n+1)i + 2j - (6n+2), & 1 \le i \le m, i = \text{even}, 1 \le j \le 3n \end{cases}$$

$$f(w_{i}^{j}) = \begin{cases} (6n+2)k + (5n-1)i - 7j + (3n-2), & 1 \le i \le m, i = \text{odd}, 1 \le j \le 2n, j = \text{odd} \\ (6n+2)k + (5n-1)i - 7j + (3n+7), & 1 \le i \le m, i = \text{odd}, 1 \le j \le 2n, j = \text{even} \\ (6n+2)k + (5n-1)i - 7j + (6n-2), & 1 \le i \le m, i = \text{even}, 1 \le j \le 2n, j = \text{odd} \end{cases}$$

$$(3)$$

$$(6n+2)k + (5n-1)i - 7j + (6n+7), & 1 \le i \le m, i = \text{even}, 1 \le j \le 2n, j = \text{odd} \end{cases}$$

Fery Firmansah, Wed Giyarti

Based on (1), (2), and (3),
$$f(V(mDQ^n*(m-1)P_2)) \subseteq \{0, 1, 2, 3 \dots, 14rk + 2k - 3\}$$
 is obtained and assign a different label to each node so

that the node labeling function satisfies the injective property.

Next, define the arc labeling function f^* : $E(mDQ^n*(m-1)P_2) \rightarrow \{1,3,5,7,...,14rk+2k-3\}$ as follows.

$$f^*(u_i v_i^j) = (6r+2)i + 2j - (6r+3), 1 \le i \le k, 1 \le j \le 2r$$
(4)

$$f^*(v_i^{3j-2}w_i^{2j-1}) = (6r+2)k + 8ri - 8j 1, 1 \le i \le k, 1 \le j \le r$$
 (5)

$$f^*(v_i^{3j}w_i^{2j}) = (6r+2)k + 8ri - 8j + 5, 1 \le \underline{r} \le k, 1 \le j \le r$$
(6)

$$f^*(w_i^{2j-1}v_i^{3j-1}) = (6r+2)k + 8ri - 8j + 1 \le i \le k, 1 \le j \le r$$
(7)

$$f^*(w_i^{2j}v_i^{3j-1}) = (6r+2)k + 8ri - 8j + 3, 1 \le i \le k, 1 \le j \le r$$
(8)

$$f^*(u_i u_{i+1}) = (6r+2)i - 1, 1 \le i \le k - 1 \tag{9}$$

Based on (4), (5), (6), (7), (8), dan (9), $f^*(E(mDQ^n*(m-1)P_2)) = \{1,3,5,7,...,14rk+2k-3\}$ is obtained and assign a different label to each arc so that the arc labeling function satisfies the bijective property. As a result, the amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ with $m \ge 1, n \ge 1$ is an odd harmonic graph. \blacksquare

To make it easier to understand, here is an example of an odd harmonic graph $6DQ^4 * 5P_2$.

Based on Definition 1 and Theorem 2, obtained an amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ with $m \ge 1$, $n \ge 1$ is an odd harmonic graph, with these results showing that there is a development of graph theory. odd harmonics, especially the amalgamation of

the double quadrilateral windmill graph which is generalized to the amalgamation of the m graph, the double quadrilateral graph DQ^n and the m-1 of the P_2 path graph.

CONCLUSIONS AND SUGGESTIONS

Based on the results and discussion, it is obtained that the construction of an amalgamated definition of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ with $m\geq 1, n\geq 1$. Furthermore, it is found that the amalgamation of the generalized double quadrilateral windmill graph $mDQ^n*(m-1)P_2$ with $m\geq 1, n\geq 1$ is an odd harmonic graph.

The results of this research can be continued to find a new class of graph which is a family of odd harmonic graphs. Suppose one is looking for odd harmonic labeling of $mDQ^n * (m-1)P_k$ with $m \ge 1$, $n \ge 1$, and $k \ge 1$.




Figure 3. Odd Harmonic Graph $6DQ^4 * 5P_2$

REFERENCES

Firmansah, F. (2017). The odd harmonious labeling on variation of the double quadrilateral windmill graphs. *Jurnal Ilmu Dasar*, 18(2), 109. https://doi.org/10.19184/jid.v18i2. 5648

Firmansah, F., & Syaifuddin, M. W. (2018a). Pelabelan harmonis ganjil pada amalgamasi graf kincir angin belanda. Fibonacci Jurnal Matematika Dan Pendidikan Matematika, 4(4), 37-46.

https://doi.org/https://doi.org/10.2

Desimal, 4 (3), 2021 - 378

Fery Firmansah, Wed Giyarti

- 4853/fbc.4.1.37-46
- Firmansah, F., & Syaifuddin, M. W. (2018b). Pelabelan harmonis ganjil pada amalgamasi graf kincir angin double quadrilateral. Seminar Nasional Pendidikan Matematika Ahmad Dahlan, 6.
- Firmansah, F., & Yuwono, M. R. (2017a).

 Pelabelan harmonis ganjil pada kelas graf baru hasil operasi cartesian product. *Jurnal Matematika Mantik, 03*(02), 87–95.

 https://doi.org/10.15642/mantik.20 17.3.2.87-95
- Firmansah, F., & Yuwono, M. R. (2017b).

 Odd harmonious labeling on pleated of the dutch windmill graphs.

 CAUCHY, 4(4), 161.

 https://doi.org/10.18860/ca.v4i4.40
 43
- Jeyanthi, P., Philo, S., & Siddiqui, M. K. (2019). Odd harmonious labeling of super subdivision graphs.

- *Proyecciones*, *38*(1), 1–11. https://doi.org/10.4067/S0716-09172019000100001
- Jeyanthi, P., Philo, S., & Youssef, M. Z. (2019). Odd harmonious labeling of grid graphs. *Proyecciones*, 38(3), 412–426.
 - https://doi.org/10.22199/issn.0717 -6279-2019-03-0027
- Liang, Z.-H., & Bai, Z.-L. (2009). On the odd harmonious graphs with applications. *Journal of Applied Mathematics and Computing*, 29(1–2), 105–116.
 - https://doi.org/10.1007/s12190-008-0101-0
- Renuka, J., & Balaganesan, P. (2018). Odd harmonious labeling of some classes of cycle related graphs. *Indian Journal of Public Health Research and Development*, 9(9), 403–408. https://doi.org/10.5958/0976-5506.2018.01032.X

Odd harmonic labeling on a generalized double quadrilateral windmill graph amalgamation

ORIGINALITY REPORT

10% SIMILARITY INDEX

%
INTERNET SOURCES

10%
PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

K Mumtaz, P John, D R Silaban. "The odd harmonious labeling of matting graph", Journal of Physics: Conference Series, 2021

3%

Publication

E A Pramesti, Purwanto. "Odd harmonious labeling of S (m, r) graph ", Journal of Physics: Conference Series, 2021

3%

Publication

Rizky P. Okfradifa, Siti Aminah, Kiki A. Sugeng. "Properties of characteristic polynomial and eigenvalues of antiadjacency matrix of directed unicyclic helm graph", Journal of Physics: Conference Series, 2021

1 %

Fery Firmansah. "Pelabelan Harmonis Ganjil pada Graf Bunga Double Quadrilateral", JURNAL ILMIAH SAINS, 2020

1 %

Publication

Zuherman Rustam, Aldi Purwanto, Sri Hartini, Glori Stephani Saragih. "Lung cancer

1 %

classification using fuzzy c-means and fuzzy kernel C-Means based on CT scan image", IAES International Journal of Artificial Intelligence (IJ-AI), 2021

Publication

6

T Dhivya, I Paulraj Jayasimman, J Joseline Manora. "Inverse Majority Neighborhood Number for Tensor Product of Graphs", Journal of Physics: Conference Series, 2021

1 %

Exclude quotes On Exclude bibliography On

Exclude matches

< 1%